


Model No.: P10KDTAB020TS


Product Specification

CPU	Rockchip RK3288, quad-core Cortex-A17, GPU Mail-T764
Frequency	Up to 1.8G
RAM	DDR3 2G default/4G (upgradable)
Internal Storage	EMMC 16GB default/or 32G (upgradable), supports NAND FLASH.
Touch panel	Multi-point optical touch.
Network Support	With RJ45 port, supports 10/100/1000M Ethernet. Built-in Wifi & BT module, supports Wi-Fi 802.11b/g/n (ac upgradable), BT4.0.
Image rotation	Supports 0°, 90°, 180°, 270° manual / automatic rotation and gravity sensing.
Clock	Built-in battery power supply.
Interface Devices	SD-card, supports up to 32GB Mini USB x1, Built-in interface USB Host x2
Audio	MP3,WMA,WAV, APE, FLAC, AAC, OGG,M4A,3GPP
Video	H.264, MPEG2, VP6, VP8, MVC 2160P@24FPS. YouTube online video play, up to 1080P, HTML5, Flash10.1.
Picture	Supports PNG,BMP,JPG
Power Adapter	Input: AC100-240V.50-60HZ Output: DC12V 3A.
Operation System	Google Android 6.0
Language	Multiple languages.
System Management	Supports OTA remote upgrade, disk upgrade Open root privileges Customizable local or remote server management system. Supports multiple serial devices, USB devices, IO control devices

Dimension:



Front/Side View



Back View

Photos:

