


Model P16KDTAB02TS

Product Specification

CPU	Rockchip RK3288, quad-core Cortex-A17, GPU Mali-T764.
Frequency	2.2 GHz
RAM	DDR3 2G/(4G optional)
Internal Storage	EMMC 16 GB/(16G/32G Optional), supports NAND FLASH.
Display	Resolution: 1920X1080/15.6"
	Contrast ratio: 1000:1
	Luminance: 250cdm2
	Aspect Ratio: 16:9
	Viewing angle: 85/85/85/85
Touch panel	10-Points capacitive touch panel
Network Support	RJ45 port, 10/100/1000M Ethernet.
WiFi	Built-in WiFi & supports Wi-Fi 802.11b/g/n/ ac.
BT module,	BT4.0.
Image rotation	Support 0°, 90°, 180°, 270° manual / automatic rotation and gravity sensing.
Clock	Built-in battery power supply.
Interface Devices	USB interface camera supports up to 200W pixels.
	USB Host x1, USB OTGx1
	Extended 3 serial ports supports for external devices connected to the module. (NFC module, printer, card reader, etc.)
	TF card, supports up to 32GB.
	HDMI 2.0 output.
Audio	MP3,WMA,WAV, APE, FLAC, AAC, OGG,M4A,3GPP.
Video	Support H.264, MPEG2, VP6, VP8, MVC, 2160P@24FPS. YouTube online video play, up to 1080P, HTML5, Flash10.1.
Picture	Supports JPG, BMP, PNG, etc. automatic rotation.
Power Adapter	Input: AC100-240V.50-60HZ Output: DC12V 3A.
Speaker	2x3W
Operation System	Android
Language	Multiple languages.
System Management	Supports OTA remote upgrade, disk upgrade.
	system with open root privileges

Datenblatt - *Permaplay*

Dimension:



Datenblatt - *Permaplay*

Photos:



Permaplay Media Solutions GmbH - Aschmattstr. 8 - 76532 Baden-Baden
Tel.: +49(0)7221 702222-0 - Fax: +49(0)7221 702222-9 - info@permaplay.de - www.permaplay.de